

Ireland archipelagos. The Eurasian race had been reported from Yap and Eniwetok (Baker, 1951), and is regarded as an occasional visitor to Micronesia (Mayr, 1945). Furthermore, the plover observed was in a sandy, pebbly seashore habitat, whereas Mayr (1945) reported that the New Guinea-New Ireland race is "found on gravel beds of rivers rather than at seashore."

To my knowledge, this is the first tentative record of the ring neck plover on Guam. Beaty (Personal Communication, 1967) reported seeing a bird similar to the above description in 1957, but was not certain of its identification. It is probable that this plover is a rare straggler or occasional visitor to Guam, and that its collection only is needed to verify its addition to Guam's bird list.

LITERATURE CITED

- Baker, R. H.** 1951. The avifauna of Micronesia, its origins, evolution, and distribution. Univ. Kansas Pub., Mus. Nat. Hist. 3(1): 1-359.
- Mayr, E.** 1945. Birds of the southwest Pacific. MacMillan Co., N.Y. 316 p.
- GERALD S. A. PEREZ,** *Department of Land Management, Agaña, Guam.*
- in the Caroline Islands have been resurveyed by members of the Marine Resources Division.
- The cooperation of the United States Coast Guard in flying the investigators and their equipment to the more accessible islands has greatly facilitated the effectiveness of the team. Plans are currently in progress to have members of the Monitoring Team accompany certain ships of the United States Navy on their routine patrols to extend resurvey studies to remote atolls in Micronesia.
- At present, full-time Control teams are situated on six islands—Guam, Saipan, Palau, Truk, Ponape, and Majuro. Approximately 150,000 *Acanthaster* have been killed from these islands. The monitoring studies reveal that control measures are effective, and that a decrease in both starfish and coral damage is observed on islands where full-time divers are actively engaged in killing the starfish.
- Despite the academic arguments presently revolving around the significance of the *Acanthaster* problem, the monitoring and control programs must continue to insure the preservation of the live reefs remaining in the Pacific region.
- Roy T. Tsuda, *The Marine Laboratory, University of Guam, Agaña, Guam.*

ACANTHASTER MONITORING PROGRAM.

The University of Guam's Marine Laboratory is currently cooperating with the Department of Fish and Wildlife of the Government of Guam and the Marine Resources Division of the Trust Territory of the Pacific Islands in monitoring the reefs around various Micronesian islands for further damage caused by the "crown-of-thorns" starfish, *Acanthaster planci*. The purpose of the monitoring program is: (1) to delimit population levels and general movement of the starfish in newly infested areas, (2) to assess any additional reef damage incurred since the Summer 1969 Westinghouse *Acanthaster* Survey, and (3) to observe any recolonization of corals in previously killed areas.

The Monitoring Team has, thus far, resurveyed the islands of Guam, Rota, Saipan, Tinian, Aguijan, Truk, Yap, and Palau, and sixteen atolls in the central Carolines. Reports have been drafted by the team members and sent to the respective governmental agencies. The atolls of Kapingamarangi and Nukuoro

NOTE ON A BIVALVED GASTROPOD FROM GUAM.

In April of 1971 a living specimen of the bivalved sacoglossan genus *Julia* was found in Bile Bay, Merizo, Guam. The animal was crawling on a comparatively bare area on the edge of the reef in 0.5 m of water.

The animal when crawling was 6.4 mm long (Fig. 1). The shell measures 4.5 mm by 3 mm. The ground color of the animal is a dark greenish brown with some areas of white. Since only one specimen has so far been collected no internal description has been attempted, however external coloration and shell shape match *J. exquisita* Gould described by Kay (1962 and 1968).

Although shells of *Julia* have been reported from the Marshall Islands, to our knowledge no previous records exist for living specimens from Micronesia.

LITERATURE CITED

- Kay, E. A.** 1962. *Julia exquisita* Gould, a




Fig. 1.

bivalved gastropod. *Pac. Sci.* 16(4): 434-435.

———. 1968. A review of the bivalved gastropods and a discussion of the evolution within the Sacoglossa. *Symp. Zool. Soc. London* 22: 109-134.

C. CARLSON AND P. J. HOFF, *University of Guam, Agaña, Guam.*

RECENT PACIFIC BIBLIOGRAPHIES. During the past two years a number of bibliographies pertaining to the Pacific region have appeared, and others are about to appear. These total a number of pages and make available numerous references heretofore not widely known. Copies of all the printed ones have been deposited in the Pacific Collection of the Micronesian Area Research Center at the University of Guam.

A broad Pacific series was begun in 1969 by N. L. H. Krauss of Honolulu. These are privately printed and available only from the author, who has mailed copies to a number of libraries and individuals. The actual number

printed was limited. The completed ones are, chronologically:

1969. *Johnston Island (Central Pacific Ocean) Bibliography.* 8 p.

1969. *Wake Island (Western Pacific) Bibliography.* 13 p.

1969. *Bibliography of the Santa Cruz Islands, Western Pacific.* 8 p.

1969. *Bibliography of Ocean Island (Banaba), Western Pacific.* 7 p.

1969. *Bibliography of the Tokelau or Union Islands, Central Pacific.* 11 p.

1969. *Bibliography of the Ellice Islands, Western Pacific.* 13 p.

1970. *Bibliography of Nauru, Western Pacific.* 14 p.

1970. *Bibliography of the Line Islands, Central Pacific.* 18 p.

1970. *Bibliography of Niue, South Pacific.* 16 p.

1970. *Bibliography of the Phoenix Islands, Central Pacific.* 13 p.

1970. *Bibliography of Swains Island, American Samoa.* 7 p.

1971. *Bibliography of the Torres Islands,*